



AGRICULTURAL TIRES

The Dawg Pound Agricultural Tires line delivers the quality, durability and performance you expect for your implement and tractor equipment. This line offers you a wide selection of hard-working farm tire products.



FARM DAWG I-1

AG FLOTATION

Flotación agrícola



| PART NO. | SIZE | PR | TIRE WEIGHT | | TT/TL | REC. RIM WIDTH (INCH) | TIRE DIMENSIONS [MM] [INCH] | | | | | |
|----------------|------------|----|-------------|-------|-------|--------------------------------|--------------------------------|-------|--------|-------|-------|-------|
| | | | | | | | OD | | WD | | TD | |
| | | | KG | LB | | | MM | INCH | MM | INCH | MM | 32NDS |
| 3FRM7767510611 | 670-15 | 6 | 4.53 | 10.00 | TL | 4.50 | 696.00 | 27.40 | 178.00 | 7.00 | 6.00 | 8.00 |
| 3FRM7776510811 | 760-15 | 8 | 10.40 | 23.00 | TL | 5.50 | 729.00 | 28.70 | 201.00 | 7.90 | 10.00 | 12.00 |
| 3FRM7795510811 | 9.5L-15 | 8 | 12.60 | 27.80 | TL | 7.00 | 755.00 | 29.70 | 240.00 | 9.45 | 7.00 | 9.00 |
| 3FRM7795511211 | 9.5L-15 | 12 | 13.30 | 29.30 | TL | 7.00 | 755.00 | 29.70 | 240.00 | 9.45 | 7.00 | 9.00 |
| 3FRM7711510811 | 11L-15 | 8 | 12.90 | 28.30 | TL | 8.00 | 800.00 | 31.50 | 280.00 | 11.00 | 8.00 | 10.00 |
| 3FRM7711511211 | 11L-15 | 12 | 14.00 | 30.80 | TL | 8.00 | 800.00 | 31.50 | 280.00 | 11.00 | 8.00 | 10.00 |
| 3FRM7712511011 | 12.5L-15 | 10 | 23.50 | 52.00 | TL | 5.00 | 653.00 | 25.70 | 173.00 | 6.80 | 9.00 | 11.00 |
| 3FRM7712511211 | 12.5L-15 | 12 | 18.60 | 41.00 | TL | 10.00 | 845.00 | 33.30 | 300.00 | 11.80 | 8.00 | 10.00 |
| 3FRM7714611211 | 14L-16.1 | 12 | 32.60 | 72.00 | TL | 11.00 | 940.00 | 37.00 | 366.00 | 14.40 | 10.00 | 12.00 |
| 3FRM7714611411 | 14L-16.1 | 14 | 32.60 | 72.00 | TL | 11.00 | 940.00 | 37.00 | 366.00 | 14.40 | 10.00 | 12.00 |
| 3FRM7716611211 | 16.5L-16.1 | 12 | 40.40 | 89.00 | TL | 14.00 | 1024.00 | 40.30 | 419.00 | 16.50 | 10.00 | 12.00 |
| 3FRM771661141 | 16.5L-16.1 | 14 | 40.40 | 89.00 | TL | 14.00 | 1024.00 | 40.3 | 419.00 | 16.50 | 10.00 | 12.00 |
| 3FRM7716611611 | 16.5L-16.1 | 16 | 40.40 | 89.00 | TL | 14.00 | 1024.00 | 40.30 | 419.00 | 16.50 | 10.00 | 12.00 |

The Farm Dawg I-1 is best suited for soft soil and light transport applications. This tire features a ribbed tread pattern for improved flotation and maneuverability, and an extra wide footprint for improved carrying capacity.

El Farm Dawg I-1 es ideal para suelo blando y aplicaciones de transporte ligero. Este neumático presenta un diseño de banda de rodamiento con costillas para mejor flotación y maniobrabilidad, y un espacio ocupado extra ancho para mejor capacidad de transporte.



FARM DAWG I-3

AG TRACTOR

Tractor agrícola



| PART NO. | SIZE | PR | TIRE WEIGHT | | TT/TL | REC. RIM WIDTH (INCH) | TIRE DIMENSIONS [MM] [INCH] | | | | | |
|----------------|------------|----|-------------|-------|-------|--------------------------------|--------------------------------|-------|--------|-------|-------|-------|
| | | | | | | | OD | | WD | | TD | |
| | | | KG | LB | | | MM | INCH | MM | INCH | MM | 32NDS |
| 3SMT7787510611 | 8.0/75-15 | 6 | 14.00 | 30.90 | TL | 7.00 | 715.00 | 28.20 | 210.00 | 8.27 | 18.00 | 23.00 |
| 3IMP7718821011 | 10.5/80-18 | 10 | 30.00 | 66.60 | TL | 9.00 | 896.00 | 35.30 | 273.00 | 10.80 | 22.00 | 26.00 |

What the Farm Dawg I-3 lacks in allure, it more than makes up for in durability. This tire is among the toughest dawgs in the pound. If you are looking for a heavy-duty tire that is reliable and rugged, and designed to get the job done, this tire is for you. Ideal for trenchers and planters.

Lo que al Farm Dawg I-3 le falta de atractivo, más que lo compensa en durabilidad. Este neumático está entre los "dawgs" más resistentes del mercado. Si busca un neumático de uso intenso que sea confiable y reforzado, y diseñado para hacer el trabajo, este es el neumático para usted. Ideal para zanjeadoras y sembradoras.



FARM DAWG R-1

AG TRACTOR

Tractor agrícola



| PART NO. | SIZE | PR | TIRE WEIGHT | | TT/TL | REC. RIM WIDTH (INCH) | TIRE DIMENSIONS [MM] [INCH] | | | | | | |
|----------|------|----|-------------|----|-------|--------------------------------|--------------------------------|------|----|------|----|-------|---|
| | | | | | | | OD | | WD | | TD | | |
| | | | KG | LB | | | MM | INCH | MM | INCH | MM | 32NDS | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - |

The new Farm Dawg R-2 is made specifically for Dawg Pound Tires and offers an extra deep tread pattern that delivers superior traction in wet and soft soil—making this tire a real AG champion! Produced by a major manufacturer, the Farm Dawg R-2 offers a strong casing for improved durability and stubble resistant compound promoting even wear and a longer tire life. Ideal for row crop tractors.

En nuevo Farm Dawg R-2 está fabricado específicamente para neumáticos del Dawg Pound y ofrece un diseño extra profundo de banda de rodadura que genera tracción superior en suelos húmedos y blandos, lo cual hace a este neumático un verdadero campeón agrícola. Producido por un fabricante importante, el Farm Dawg R-2 ofrece una carcasa fuerte para mayor durabilidad y un compuesto resistente al rastrojo que favorece el desgaste uniforme y una mayor vida útil.



FARM DAWG R-2

AG TRACTOR

Tractor agrícola



| PART NO. | SIZE | PR | TIRE WEIGHT | | TT/TL | REC. RIM WIDTH (INCH) | TIRE DIMENSIONS [MM] [INCH] | | | | | |
|----------|---------|----|-------------|--------|-------|-----------------------|-----------------------------|-------|--------|-------|-------|-------|
| | | | | | | | OD | | WD | | TD | |
| | | | KG | LB | | | MM | INCH | MM | INCH | MM | 32NDS |
| 94062676 | 13.6-38 | 6 | 89.80 | 198.00 | TT | 12.0 | 1600.10 | 63.00 | 345.44 | 13.60 | 69.00 | 86.00 |
| 94062683 | 13.6-46 | 6 | 101.60 | 224.00 | TT | 12.0 | 1803.40 | 71.00 | 345.44 | 13.60 | 69.00 | 86.00 |

The new Farm Dawg R-2 is made specifically for Dawg Pound Tires and offers an extra deep tread pattern that delivers superior traction in wet and soft soil—making this tire a real AG champion! The Farm Dawg R-2 offers a strong casing for improved durability and stubble resistant compound promoting even wear and a longer tire life. Ideal for row crop tractors.

En nuevo Farm Dawg R-2 está fabricado específicamente para neumáticos del Dawg Pound y ofrece un diseño extra profundo de banda de rodamiento que genera tracción superior en suelos húmedos y blandos, lo cual hace a este neumático un verdadero campeón agrícola. El Farm Dawg R-2 ofrece una carcasa fuerte para mayor durabilidad y un compuesto resistente al rastrojo que favorece el desgaste uniforme y una mayor vida útil.



TURF DAWG R-3

FARM & TURF APPLICATIONS

Aplicaciones de granja y turba



| PART NO. | SIZE | PR | TIRE WEIGHT | | TT/TL | REC. RIM WIDTH (INCH) | TIRE DIMENSIONS [MM] [INCH] | | | | | |
|----------------|---------|----|-------------|--------|-------|-----------------------|-----------------------------|-------|--------|-------|-------|-------|
| | | | | | | | OD | | WD | | TD | |
| | | | KG | LB | | | MM | INCH | MM | INCH | MM | 32NDS |
| 32903353EB-IN | 14.9-24 | 8 | 48.00 | 105.00 | TL | 13.00 | 1241.00 | 48.90 | 394.00 | 15.50 | 26.00 | 33.00 |
| 32903363EB-IN | 16.9-24 | 8 | 63.00 | 139.00 | TL | 15.00 | 1309.00 | 51.50 | 442.00 | 17.40 | 27.00 | 34.00 |
| 32904300EB-IN | 18.4-26 | 12 | 91.00 | 201.00 | TL | 16.00 | 1426.00 | 56.10 | 480.00 | 18.90 | 24.00 | 30.00 |
| 3ITR7723611211 | 23.1-26 | 12 | 125.00 | 275.00 | TL | 20.00 | 1560.00 | 61.40 | 587.00 | 23.10 | 17.00 | 22.00 |

The Turf Dawg is best for turf, paving and combine applications. This R-3 offers a diamond-pattern tread design built to deliver superior floatation with minimal soil disruption. Ideal for compactors and combines.

El Turf Dawg es ideal para aplicaciones de turba, pavimentación y combinadas. Este neumático R-3 ofrece un diseño de banda de rodadura de diamante construido para crear flotación superior con mínima alteración del suelo.



FAT DAWG

AG FLOTATION

Flotación agrícola



| PART NO. | SIZE | PR | TIRE WEIGHT | | TT/TL | REC. RIM WIDTH (INCH) | TIRE DIMENSIONS [MM] [INCH] | | | | | |
|----------------|-----------------|----|-------------|--------|-------|-----------------------|-----------------------------|-------|--------|-------|-------|-------|
| | | | | | | | OD | | WD | | TD | |
| | | | KG | LB | | | MM | INCH | MM | INCH | MM | 32NDS |
| 3IMP7731518811 | 31-1550-15 (A) | 08 | 26.70 | 59.00 | TL | 13.00 | 774.00 | 30.50 | 374.00 | 14.70 | 19.00 | 24.00 |
| 3IMP7740671811 | 400/60-15.5 (B) | 18 | 22.60 | 50.00 | TL | 13.00 | 865.00 | 34.00 | 405.00 | 15.90 | 20.00 | 25.00 |
| 3FLT7755411211 | 550/45-22.5 (B) | 12 | 83.00 | 183.00 | TL | 16.00 | 1015.00 | 40.00 | 503.00 | 19.80 | 31.00 | 31.00 |
| 3FLT7765011611 | 600/50-22.5 (B) | 16 | 93.44 | 206.00 | TL | 20.00 | 1171.00 | 46.10 | 617.00 | 24.30 | 30.00 | 38.00 |
| 3IMP7740641811 | 400/60-15.5 (C) | 18 | 22.60 | 50.00 | TL | 13.00 | 855.00 | 33.60 | 395.00 | 15.50 | 11.00 | 14.00 |

A directional flotation tire creating less soil compaction—suited for agricultural implements, especially towed vehicles.

Una neumático de flotación direccional que ofrece menos compactación del suelo, ideal para implementos agrícolas, especialmente vehículos remolcados.

